

WEST Search History

DATE: Monday, June 02, 2003

Set Name Query
side by side

DB=USPT,PCPB,DWPI; PLUR=YES; OP=ADJ

	Hit Count	Set Name
side by side	result set	
L31 L30 and I23	24 L31	
L30 L26 and pathogen	430 L30	
L29 L28 and pathogen	61 L29	
L28 L20 and I23	411 L28	
L27 L26 same I23	3 L27	
L26 multiwell	2558 L26	
L25 L24 same pathogen	3 L25	
L24 L23 same "wells"	17854 L24	
L23 liquid crystal	203198 L23	
L22 L21 same liquid crystal	0 L22	
L21 L20 same pathogen	148 L21	
L20 microtitre or microtiter	29057 L20	
DB=USPT,PCPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ		
L19 ((((((assay)and (well same groove))and layer)and depth) and width)) and "5" adj nm)	3 L19	
L18 ((((((assay)and (well same groove))and layer)and depth)and width) not @PY>1999)) and 0.1)	25 L18	
L17 ((((((assay)and (well same groove))and layer)and depth)and width) not @PY>1999)	32 L17	
L16 ((((((assay)and (well same groove))and layer)and depth) and width)	173 L16	
L15 ((((((assay)and (well same groove))and layer) and depth)	228 L15	
L14 (((assay)and (well same groove)) and layer)	486 L14	
L13 (((polydimethylsiloxane)and (liquid adj crystal))and silver) and (well same groove))	2 L13	
L12 (((polydimethylsiloxane)and (liquid adj crystal)) and silver)	123 L12	
L11 (((polydimethylsiloxane) and (liquid adj crystal))	477 L11	
L10 (polydimethylsiloxane)	16939 L10	
L9 ((((((liquid adj crystal)and assay)and polymer)and bead)not @PY>1999) and polystyrene)	40 L9	
L8 ((((((liquid adj crystal)and assay)and polymer)and bead)not @PY>1999) and polydimethylsiloxane)	0 L8	
L7 ((((((liquid adj crystal)and assay)and polymer)and bead) not @PY>1999)	68 L7	
L6 ((((((liquid adj crystal)and assay)and polymer) and bead)	344 L6	
L5 ((((((liquid adj crystal)and assay) and polymer)	1032 L5	
L4 (((liquid adj crystal) and assay)	1677 L4	
L3 (((liquid adj crystal)and pathogen) and (substrate same coating))	52 L3	

L2 ((liquid adj crystal) and pathogen)
 L1 ((liquid adj crystal)

END OF SEARCH HISTORY